DRUG LABELING STUDY A

MAIN QUESTIONNAIRE PINK
OFFICE LICE ONLY
ID
SITE INTERVIEW NUMBER:
Start time : am pm 10-13
(CHOOSE LABEL ACCORDING TO RANDOMIZATION SHEET.) (RECORD LABEL VERSION:)
The US Food and Drug Administration is interested in how people read and understand the labels that appear on foods and over-the-counter medications. I'm going to be showing you the labels from two products. The first is for raisin bran. I'd like you to read the label as if you were considering purchasing the product. Then I'm going to show you a label from a cough/cold drug. I'd also like you to read the label as if you were considering purchasing the product. Then I'm going to ask you some questions about the information on these labels. Do you have any questions about this procedure? (IF YES, REVIEW PROCEDURE WITH RESPONDENT.)
(HAND RESPONDENT FOOD LABEL AND ALLOW RESPONDENT TO READ. TIME RESPONDENT TO NEAREST SECOND.)
Take as much time as you need to read the label and hand it back to me when you are finished.
(TIME SPENT READING FOOD LABEL: SECONDS) (REMOVE LABEL FROM VIEW.) 18-20
(HAND RESPONDENT DRUG LABEL AND ALLOW RESPONDENT TO READ. TIME RESPONDENT TO NEAREST SECOND.)
Here is the next label. Take as much time as you need to read the label and hand it back to me when you are finished.
(TIME SPENT READING DRUG LABEL: SECONDS) (REMOVE LABEL FROM VIEW.) 21-23

(MAKE SURE LABELS ARE NOT IN VIEW)

Now 1	I'd like to ask you some questions. When answering, th	ink only abo	ut the d	rug lal	bel.	
1a.	First, tell me all the information you can remember from	om the drug	label.			
						24
1b.	What else can you remember about the drug that was a can remember, including anything about the warnings	and direction	ns. (PR (OBE:	"What el	se?")
(RAN	You should stop using this product if	True	False	DK 8	REF	
b.	stomach pain occurs. A person using this drug should take no	1	2	8	9	32
U.	more than 10 softgels in a 24-hour period.	1	2	8	9	33
c.	This product relieves nasal congestion due to the common cold.	1	2	8	9	34
d.	This product relieves persistent cough from smoking.	1	2	8	9	35
e.	People with heart disease should ask a doctor before taking this product.	1	2	8	9	36
f.	This product can be taken with drugs used to treat depression.	1	2	8	9	37

This product can be given to children 8 years

of age.

37-

38-

		True	False	DK	REF	
h.	A person taking a drug for asthma should ask a doctor before use.	1	2	8	9	39-
i.	You may continue to use this product if cough is accompanied by fever or a persistent headache.	1	2	8	9	40-
j.	This product can be given to children under age 6.	1	2	8	9	41-
k.	You should stop using this product if you get a rash.	1	2	8	9	42-
l.	A person using this drug should not exceed 4 doses in 24 hours.	1	2	8	9	43-
m.	If stomach pain occurs while taking this product, you can continue to use this product as soon as the pain improves.	1	2	8	9	44-
n.	Women should not take this product during the <u>last 5</u> months of pregnancy.	1	2	8	9	45-
0.	People with liver disease should not take this product unless directed by a physician.	1	2	8	9	46-
p.	People using a prescription medication to treat a mental condition should not take this product.	1	2	8	9	47-
q.	A person with a persistent cough from smoking should ask a doctor before use.	1	2	8	9	48-
r.	Women should avoid taking this product during the <u>first</u> 4 months of pregnancy.	1	2	8	9	49-
S.	A person with a cough that lasts from emphysema cannot use this product.	1	2	8	9	50-
t.	A person taking a drug for the treatment of asthma cannot use this product.	1	2	8	9	51-

(RETURN DRUG LABEL TO RESPONDENT)

3.

	label.
(REC	ORD TIME BETWEEN READING OF THE QUESTION AND RESPONDENT'S ANSWER) At what temperature should this drug be stored?
	degrees (SECONDS) 52-54 55-56
	I'm going to ask you about some situations in which you or another person has to decide whether or not to is drug.
b.	Imagine you've got a cough and are running a fever of 99 degrees. What is the maximum number of days you can take this drug?
	days
(DEC	ord time between reading of the question and respondent's answer)
c.	Now think about another person who is taking this drug and has stomach pain. Should this person:
	(READ LIST) 60- Keep taking the drug 1
	Talk to a doctor 2 (SECONDS) Stop taking the drug 3
	(DO NOT READ)
	Don't Know 8
	Refused 9
d.	If you took a dose of the drug at 9:00 am, according to the label, when would you take your next dose?
	am pm 63-66 67- OR
	hours later

Now I'd like you to think about personally using this drug. Answer each of these questions based on the

(REC	ORD TIME BETWEEN	READING OF THE	E QUESTION AND	D RESPOND	ENT'S ANSWE	\mathbf{R}
e.	Now think about another	r person who is consid	ering taking this dr	ug but has brea	athing problems.	Should

	this person:		
	(READ LIST) Keep taking the drug Talk to a doctor Stop taking the drug	2 (SECONDS)	
	(DO NOT READ) Don't Know		
f.	Imagine you have a child, age # of softgels	e 13. How many softgels can you give the child in one dose?	
g.		s just learned she is pregnant and is considering taking this product	? Should
	(READ LIST) Keep taking the drug Talk to a doctor Stop taking the drug	2	
	(DO NOT READ) Don't Know		
(REC		CADING OF THE QUESTION AND RESPONDENT'S ANSW considering taking this product but is having nervousness and difficult:	
	(READ LIST) Keep taking the drug Talk to a doctor Stop taking the drug	2 (SECONDS)	
	(DO NOT READ) Don't Know	9	SPACE 78-79 80-2 DUP 1-

(HAND RESPONDENT CARD 2)

4. Next, I'm going to ask you some questions about the drug label. I'd like you to rate the drug label on a scale from 0 to 10, where 0 means "not at all" and 10 means "very".

	DOM												
a.	How	willing	g would	someo	ne be	to read	d the la	abel?					6-7
no	0 1 t at all	. 2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	
b.	How	useful	is the la	abel in	helpin	ıg som	eone d	decide	whet	her or not to	use the drug	?	8-9
no	0 1 t at all	. 2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	6-9
c. How much do you like the format or layout of the label?													10.11
no	0 1 et at all	. 2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	10-11
d.	How	easy is	it to fir	nd info	rmatio	n in th	e labe	1?					12-13
no	0 1 t at all	. 2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	12-13
e.	How	difficu	lt is it to	o see e	ach of	the w	ords p	rinted	on th	e label?			
no	0 1 t at all	. 2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	14-15
f.	How	difficu	lt was i	t to rea	d the	label?							16.15
no	0 1 t at all	. 2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	16-17
g.	How	import	ant wou	ıld it b	e for s	omeor	ne to re	ead all	the in	nformation i	n the label?		10.10
no	0 1 t at all	. 2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	18-19
h.	How	confus	sing is th	ne form	nat or	layout	of the	label'	?				20
no	0 1 t at all	. 2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	20-21


i.													
no	0 1 t at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	22-23
j.	How easy	y to ur	dersta	nd is t	he inf	ormati	on in	the lab	el?				24.25
no	0 1 t at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	24-25
k.	How easy	y wou	ld it be	e for so	omeon	e with	n poor	eyesig	ght to	read the words p	rinted o	n the label?	24.05
no	0 1 t at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	26-27
5.	(HAND I Please rat "not at al	te the	label c	n the	back o	-	oox on	the fo	ollow	ing items on a sca	ale from	0 to 10, where 0	neans
(RAN	NDOM ST Importan	-)										20.20
no	0 1 t at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	28-29
b.	Relevant												
no	0 1 t at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	30-31
c.	Means a	lot to	me										
no	0 1 t at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	32-33
d.	Valuable												24.25
no	0 1 t at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	34-35
e.	Exciting 0 1	2	3	4	5	6	7	8	9	10	98	99	36-37
no	t at all	_	5	•	5	Ü	,	Ü	,	very	DK	REF	

f.	Appealin	g											
no	0 1 ot at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	38-39
g.	Fascinati	ng											
no	0 1 ot at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	40-41
h.	Involving	3											
no	0 1 ot at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	42-43
i.	Interestir	ng											
no	0 1 ot at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	44-45
j.	Needed												
no	0 1 ot at all	2	3	4	5	6	7	8	9	10 very	98 DK	99 REF	46-47
6.		your	readir	g of the	he labe	el, plea				confident you are			
	NDOM ST Recogniz			se (ba	d) read	ctions.							10.40
	0 1 onfidence all	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	48-49
b.	Follow th	ne dire	ections	s for ta	aking t	he cor	rect d	ose					
	0 1 onfidence all	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	50-51

c.	Kn	ow wh	ich dr	ugs in	teract	with t	his one	e.						
	0 onfiden all	1 ace	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	52-53
d.	Ren	nembe	er the	warnir	igs.									
	0 onfiden all	1 ace	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	54-55
e.	Kn	ow wh	en to	stop ta	aking	the dru	ıg.							
	0 onfiden all	1 ace	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	56-57
f.	Kn	ow wh	at cor	dition	s are t	reated	by thi	is drug	g.					50.50
	0 onfiden all	1 ace	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	58-59
g.	Ide	ntify t	he cor	rect do	osage	for a c	hild.							
	0 onfiden all	1 ace	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	60-61
h.	Tel	l the d	ifferei	nce be	tween	a min	or side	effect	t and a	a ma	jor reaction.			
	0 onfiden all	1 ace	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	62-63
i.	Ide	ntify v	vho sh	ould r	ot tak	e this	drug.							64.65
	0 onfiden all	1 ace	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	64-65
j.	Kne	ow wh	en yo	u shou	ıld ask	a doc	tor or	health	profe	essio	nal if side effects of	occur.		66-67
	0 onfiden all	1 ace	2	3	4	5	6	7	8	9	10 totally confident	98 DK	99 REF	00-07

Now I'd like to ask some general questions about the drug and the label. When answering, use the 1 to 5 scale on the card. (**IF NECESSARY SAY:** You can use any number on the scale between 1 and 5.)

(RANDOM START)



7f.	Think		he way		CARD aformation	8) on was presented in the label. Overall, how useful was the
not a		2	3	4	5 very useful	,,
7g.	•				CARD where 1	9) means hard to read and 5 means easy to read, how would you rate the
hard read		2	3 r	4 read	5 easy to	74
7h.	Using	a scale	from 1	to 5, v	CARD where 1 is the label?	means very hard and 5 means very easy, how easy was it to find the
very	1 hard	2	3		5 very easy	
7i.	Overal	l, how 1	much d	lid you		7) e information in the label? 76
not a		2 ID DE6	3 (DOME	4	5 a lot	11)
7j.	•				CARD as the info	ormation in the label?
not a		2	3	4 b	5 very elievable	
				J		SPACE 78-7 80-3 DUP1-

8. Now I'm going to ask you to say some words out loud. I want to hear you read as many words as you can from these lists. (HAND RESPONDENT CARD 12. HOLD QUESTIONNAIRE AT AN ANGLE SO THE RESPONDENT IS NOT DISTRACTED BY THE SCORING PROCEDURE.)

Begin with the first word on List 1 and read aloud. When you come to a word you cannot read, do the best you can or say "blank" and go on to the next word.

(IF THE RESPONDENT TAKES MORE THAN FIVE SECONDS ON A WORD, SAY "BLANK" AND POINT TO THE NEXT WORD, IF NECESSARY, TO MOVE THE RESPONDENT ALONG. IF THE RESPONDENT BEGINS TO MISS EVERY WORD, HAVE HIM/HER PRONOUNCE ONLY KNOWN WORDS. COUNT AS CORRECT ANY SELF-CORRECTED WORD.)

	Correct Inc	correct A	Not attempted			Correct In	correct At	Not tempted	
fat <faht></faht>	1	2	3	6-		ingredient 1 <inn-gree-DEE-ENT</inn-gree-	2	3	22-
flu 23-	1	2	3		7-	temporary	1	2	3
<fl00></fl						<tem-puh-rare-ree< td=""><td>E></td><td></td><td></td></tem-puh-rare-ree<>	E>		
pill <pil></pil>	1	2	3	8-		exceed 1 2 <eck-seed></eck-seed>	3	24-	
dose <dOS></d	1	2	3	9-		inhale 1 <inn-hay-ul></inn-hay-ul>	2	3	25-
eye <i></i>	1	2	3	10-		nausea 1 <naw-zee-uh></naw-zee-uh>	2	3	26-
stress < STR ES>	1	2	3	11-		excessive 1 <eck-sess-siv></eck-sess-siv>	2	3	27-
smear < SM -EAR>	1	2	3	12-		pharmacist 1 <farm-uh-sist></farm-uh-sist>	2	3	28-
notify <no-tif-FY</no-tif-	1	2	3	13-		relief 1 <ree-LEEF></ree-	2	3	29-
gallbladder < GAL -BLAH		2	3	14-		heartburn 1 <hart-BERN></hart-	2	3	30-
calories <cow-luh< td=""><td>1 -REEZ></td><td>2</td><td>3</td><td>15-</td><td></td><td>effectiveness 1 <eff-FEKK-TIV-NESS</eff-</td><td>2</td><td>3</td><td>31-</td></cow-luh<>	1 -REEZ>	2	3	15-		effectiveness 1 <eff-FEKK-TIV-NESS</eff-	2	3	31-
depression <dee-pres< td=""><td></td><td>2</td><td>3</td><td>16-</td><td></td><td>drowsiness 1 <drow-zee-ness></drow-zee-ness></td><td>2</td><td>3</td><td>32-</td></dee-pres<>		2	3	16-		drowsiness 1 <drow-zee-ness></drow-zee-ness>	2	3	32-
miscarriage <miss-kah< td=""><td></td><td>2</td><td>3</td><td>17-</td><td></td><td>prolonged 1 <pro-lawngd></pro-lawngd></td><td>2</td><td>3</td><td>33-</td></miss-kah<>		2	3	17-		prolonged 1 <pro-lawngd></pro-lawngd>	2	3	33-
pregnancy < PREG -NEM	1 N-SEE>	2	3	18-		inhibit 1 <inn-HIB-IT></inn-	2	3	34-
arthritis <ar-THRY-</ar-	1 -TISS>	2	3	19-		placebo 1 <pluh-SEE-BO></pluh-	2	3	35-
hepatitis <hep-uh-t< td=""><td>1 Y-TISS></td><td>2</td><td>3</td><td>20-</td><td></td><td>liquid 1 <LICK-WID></td><td>2</td><td>3</td><td>36-</td></hep-uh-t<>	1 Y -TISS>	2	3	20-		liquid 1 < LICK -WID>	2	3	36-
antibiotics <an-ty-by< td=""><td>1 -AHH-TIKS</td><td>2</td><td>3</td><td>21-</td><td></td><td>muscle 1 2 <muh-sull></muh-sull></td><td>3</td><td>37-</td><td></td></an-ty-by<>	1 -AHH-TIKS	2	3	21-		muscle 1 2 <muh-sull></muh-sull>	3	37-	

	Correct In	correct At	Not tempted		C	Correct Inc	correct Att	Not empted	
diagnosis <dy-igg-no< td=""><td>1 D-SIS></td><td>2</td><td>3</td><td>38-</td><td>symptom <sim-tum></sim-tum></td><td>1</td><td>2</td><td>3</td><td>43-</td></dy-igg-no<>	1 D-SIS>	2	3	38-	symptom <sim-tum></sim-tum>	1	2	3	43-
potassium <po-tas-se< td=""><td>1 E-UM></td><td>2</td><td>3</td><td>39-</td><td>thalidomide <tha-LID-DO</tha-</td><td>1 H-MIDE</td><td>2</td><td>3</td><td>44-</td></po-tas-se<>	1 E-UM>	2	3	39-	thalidomide <tha-LID-DO</tha-	1 H- MIDE	2	3	44-
anemia <uh-NEE-M</uh-	1 EE-UH>	2	3	40-	congestion <con-jest-s< td=""><td>1 HUN></td><td>2</td><td>3</td><td>45-</td></con-jest-s<>	1 HUN>	2	3	45-
obesity <oh-BEE-SH</oh-	1 EH-TEE>	2	3	41-	chronic < KRAH -NIK>	1	2	3	46-
osteoporosi <os-tee-oh< td=""><td></td><td>2 OW-SIS></td><td>3</td><td>42-</td><td>sinusitis <SIE-NUH-SY-</td><td>1 -TISS></td><td>2</td><td>3</td><td>47-</td></os-tee-oh<>		2 OW-SIS>	3	42-	sinusitis < SIE -NUH-SY-	1 -TISS>	2	3	47-

9. I'm going to give you a card with six words printed on it. (HAND RESPONDENT CARD 13) I'm going to read each one to you. After I read the word, I'd like you to define it as if you saw it in a dictionary. If you're not sure about the definition, your best guess is fine. (RECORD STATEMENTS VERBATIM. PROBE ONCE "Anything else?" AFTER RESPONSE.)

(RANDOM START)	
_a. placebo	
	48
	49
	50
b. thalidomide	51
b. mandonnde	
	52
	53
	54 55
c. effectiveness	33
	56
	57
	58
	59
d. temporary	
	60
	61
	62
	63
e. symptoms	
	64
	65
	66
	67
f. health professional	
	68
	69
	71

Now I have just a few questions for classification purposes.

).	What is your marital status? Are you:	4
	(READ LIST)	6
	Married 1	
	Separated 2	
	Divorced 3	
	Widowed 4	
	Never Married 5	
	(DO NOT READ)	
	Don't Know 8	
	Refused 9	
1.	Which one of these letter groups shows the last grade of school that you completed?	7
	a. Grade school or less 1	
	b. Some high school 2	
	b. Some high school	

(HAND RESPONDENT CARD 15) 12. Which of these letter groups represents your profession? a. Professional/Technical 1 b. Manager/administrator 2 f. Operatives (Except Transportation) ... 6 j. Farmer and Farm Manager 10 13. In general, would you say your health is: (READ LIST) Excellent 1 Very good 2 Fair 4 Poor 5 (DO NOT READ) Don't Know 8

8-9

10-

Refused 9

14.	Would you say:	
	(READ LIST)	11
	Zero times 1	
	One or two times 2	
	Three or four times 3	
	Five or six times 4	
	Seven or more times 5	
	(DO NOT READ)	
	Don't Know 8	
	Refused 9	
15.	How often have you purchased an over-the-counter pain reliever drug in the past six months?	
	Would you say:	12
	(READ LIST)	
	Zero times 1	
	One or two times 2	
	Three or four times 3	
	Five or six times 4	
	Seven or more times 5	
	(DO NOT READ)	
	Don't Know 8	
	Refused 9	
16.	How often have you purchased an over-the-counter <u>sunscreen</u> in the past six months?	
10.	Would you say:	13
	(READ LIST)	
	Zero times 1	
	One or two times 2	
	Three or four times 3	
	Five or six times 4	
	Seven or more times 5	
	(DO NOT READ)	
	Don't Know 8	
	Refused 9	

17.	(HAND RESPONDENT CARD 16) Are you being treated for any of these medical conditions? Please tell me the letters of all that apply.	
	(CIRCLE ALL THAT APPLY) a. Heart disease 1	14
	b. High blood pressure 2	
	c. Asthma 3	
	d. Depression 4	
	e. High cholesterol 5	
	f. Stomach ulcers 6	
	g. Emphysema 7	
	h. None 0	
	Don't Know 8	
	Refused 9	
	(HAND RESPONDENT CARD 17)	
18.	Which one of these letter groups includes your total annual family income?	15
	a. Under \$25,000 0	
	b. \$25,000 - \$29,999 1	
	c. \$30,000 - \$34,999 2	
	d. \$35,000 - \$39,999 3	
	e. \$40,000 - \$49,999 4	
	f. \$50,000 - \$59,999 5	
	g. \$60,000 - \$74,999 6	
	h. \$75,000 and over 7	
	Don't Know 8	
	Refused 9	
	(HAND RESPONDENT CARD 18)	
19.	Which one of these letter groups represents your ethnic group?	16
	a. Black/Non-Hispanic 1	10
	b. Hispanic 2	
	c. Asian/Pacific Islander 3	
	d. White/Non-Hispanic 4	
	e. Indian or Alaskan Native 5	
	f. Other 6	
	Don't Know 8	
	Refused 9	

For validation purposes, may I have your fir	rst name, address and telephone number?		
Respondent's Name:			
Street Address:			
City:	State: Zip:		
Area Code: Telephone Nu	mber:		
END TIME : AM PM 17-20 21- DATE:			
	ONDENT FOR PARTICIPATING. ESPONDENT INCENTIVE.		

SPACE 22-79 80-5

OMB NO.: 0910-0343

EXPIRATION DATE: 11/30/97